

EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (ii) PART II—Section 3—Sub-section (ii) प्राधिकार से प्रकाशित PUBLISHED BY AUTHORITY

सं. 264 No. 2641 नई दिल्ली, मंगलबार, फरवरी 10, 2009/माघ 21, 1930 NEW DELHI, TUESDAY, FEBRUARY 10, 2009/MAGHA 21, 1930

रेल मंत्रालय

(रेलवें बोर्ड)

अधिसूचना

नई दिल्ली, 10 फरवरी, 2009

का,आ. 436(अ),—केन्द्रीय सरकार, रेल अधिनियम, 1989 (1989 का 24) (जिसे इसमें इसके पश्चात् उक्त अधिनियम कहा गया है) की धारा 20क के खंड (1) द्वारा प्रवेत्त शिक्तियों का प्रयोग करते हुए, यह समाधान हो जाने के पश्चात् कि लोक प्रयोजन के लिए, वह भूमि, जिसका संक्षिप्त विवरण इससे उपाबद्ध अनुसूची में दिया गया है, उत्तर प्रदेश राज्य के अलीगढ़ जिले में विशेष रेल परियोजना, पूर्वी डेडीकेटेड फ्रेट कोरीडोर के निष्पादन, अनुरक्षण, प्रबंध और प्रचालन के लिए अपेक्षित है, ऐसी भूमि का अर्जन करने के अपने आशिय की घोषणा करती है;

उक्त भूमि में हितबद्ध कोई व्यक्ति, राजपत्र में इस अधिसूचना के प्रकाशन की तारीख से तीस दिन के भीतर, उक्त अधिनियम की धारा 20घ की उप-धारा (1) के अधीन उपर्युक्त प्रयोजन के लिए ऐसी भूमि के अर्जन और उपयोग के संबंध में आक्षेप कर सकेगा;

प्रत्येक ऐसा आक्षेप संक्षम प्राधिकारी अर्थात् विशेष भूम अध्याप्ति अधिकारी, अलीगढ़, उत्तर प्रदेश को लिखित में किया जाएगा और उसमें उसके आधार उपवर्णित करेगा और सक्षम प्राधिकारी आक्षेपकर्ता को व्यक्तिगत रूप से या विधि व्यवसायी के माध्यम से सुनवाई का अवसर प्रदान करेगा और सभी ऐसे आक्षेपों की सुनवाई करने तथा ऐसी और जांच करने के पश्चात्, यदि कोई हो, जिसे सक्षम प्राधिकारी आवश्यक समझे, आदेश द्वारा, या तो आक्षेपों को अनुज्ञात कर सकेगा या अननुज्ञात कर सकेगा;

उक्त अधिनियम की धारा 20घ की उप-धारा (2) के अधीन सक्षम प्राधिकारी द्वारा किया गया कोई आदेश अंतिम होगा;

इस अधिसूचना के अधीन आने वाली भूमि का रेखांकन और भूमि के अन्य ब्यौरे उपलब्ध हैं और हितबद्ध व्यक्ति द्वारा सक्षम प्राधिकारी के उपर्युक्त कार्यालय में उनका निरीक्षण किया जा सकता है ।

अनुसूची

उत्तर प्रदेश राज्य में प्रस्तावित विशेष रेलवे परियोजना पूर्वी समर्पित मालभाडा कारीडोर के लिए अलीगढ़ जिले के भीतर संरचना सहित या उसके बिना आने वाली भूमि का संक्षिप्त विवरण

क्र. सं0	तालुका का नाम	ग्राम का नाम	सर्वेक्षण / प्लाट सं0	हैक्टयर में क्षेत्रफल
(1)	(2)	(3)	(4)	(5)
1	काल	(1) पाली रजापुर		
			38	0.0380
			39	0.2880
			40	0.0920
		·	41	0.0460
		4-4	199	0.1730
			200	0.0350
			201	0.2190
			202	0.0080
			203	0.3800
			204	0.7830
			205	0.2970
		····	190	0.0030
			191	0.0070
		·	189	0.0070
			188	0.0580
			182	0.0030
			187	0.8750
		(2) अलीपुर		· · · · · · · · · · · · · · · · · · ·
			176	0.7370
			177	0.0180
			179	0.1270
			180	0.0870
			181	0.0580
			182	0.2650
			183	0.0090

(1)	(2)	(3)	(4)	(5)
			188	0.0140
			223	0.0120
			224	0.1960
			225	0.0350
			229	0.0090
			230	0.0590
-			231	0.0960
	0		232	0.0920
			233	0.2650
			242	0.2070
			243	0.1150
			244	0.0670
			245	0.1730
			274	0.6570
			276	0.0910
			273	0.1040
			271	0.0060
	,		270	0.0060
		(3) मंडराक	-	
			471	0.0080
			469	0.4370
			514	0.1840
			516	0.5190
			539	0.6340
			540	0.0810
			549	0.0070
			550	0.1790
			555	0.1610
			557	0.0810
			558	0.1040
			559	0.1500

(1)	(2)	(3)	(4)	(5)
			560	1.2590
			564	0.0970
			565	0.0970
			568	0.0460
			447	0.0580
			446	0.5880
			468	0.0940
			472	0.8520
		(4) मुसेपुर जलाल		
			43	0.1610
			44	0.1610
			45	0.1380
			46	0.1610
			47	0,1500
			48	0.2070
			50	0.1730
	****		51	0.0170
			52	0.0690
	V 11.12.		53	0.0120
			54	0.1150
		(5) घासीपुर		
			16	0.1270
			17	0.5880
			18	0.0690
			111	0.0070
	<u>.</u>		112	0.2420
			110	0.2830
			113	0.2300
	· · · · · · · · · · · · · · · · · · ·		132	0.0070
			126	0.1500
			127	0.3570

(1)	(2)	(3)	(4)	(5)
			. 128	0.0120
			129	0.2300
			130	0.1270
			131	0.0460
	-		139	0.5650
			. 140	0.0070
			141	0.2300
	-		142	0.0690
		(6) हाजीपुर फतेह खान	*	
			142	0.4490
	*		143	0.8110
			141	0.1150
			140	0.1730
			139	0.1270
			137	0.0810
			136	0.2760
	0		135	0.4060
		* -	134	0.2300
			133	0.7760
			132	0.0060
			131	0.1460
	*		130	0.5790
	-	(7) चिराली दाउद खाँ	÷ •	*
			95	1.0260
ļ	, 1		94	0.6910
	·	_	90	0.0300
			91	0.3910
			92	1.0260
	-		86	0.0280
			68	0.5190

(1)	(2)	(3)	(4)	(5)
	···		69	0.5070
			70	0.8180
	-		71	0.4610
	<u>-</u> -		72	0.7830
	· · · · · · · · · · · · · · · · · · ·		73	0.3800
	····		74	0.5760
		(8) पडहावली		
			85	0.0180
	······································		86	0.4840
			87	0.4840
			88	0.2990
			89	0.6570
			90	0.0580
			92	0.2530
<u> </u>			94	0.6570
ļ			96	0.3220
			97	0.0690
			95	0.0230
			99	0.0350
			79	0.5190
ļ			78	0.6680
<u></u>			154	0.0180
			155	0.0180
			157	0.0230
			158	0.8290
			156	0.0070
			144	0.0580
-			159	0.1040
			162	0.5420
ļ			163	0.0230
			255	1.0490

(1)	(2)	(3)	(4)	(5)
			260	0.0230
			261	0.3800
	× =		263	1.1520
			270	0.3110
			271	0.1500
			258	0.0460
,			262	0.0350
		(९) रुस्तमपुर सख्त खॉ	* · *	
		न्त्र रसामपुर संदर्भ खा	184	0.0180
T-			63	0.2300
			64	0.0180
			65	0.0180
			166	0.8390
			167	0.9120
			168	0.0180
			163	0.0120
			164	0.9360
	,	- (162	0.4050
			159	0.0180
	· · · · · · · · · · · · · · · · · · ·		158	0.0060
			157	0.6370
			151	0.0120
			148	0.6020
			135	0.0180
			136	0.0460
		·	140	0.0840
	,		137	0.1380
			138	0.2300
		(10) हाजीपुर चौहटा	100	
7			1	0.0810
	=		9	0.0460

(4)	(2)			
(1)	(2)	(3)	(4)	(5)
			165	0.0180
			157	0.3800
			156	0.0350
			159	0.1960
			160	0.2070
		The state of the s	161	0.1380
			155	0.0920
			162	0.0120
			166	0.0180
			183	0.2760
			184	0.6680
	•		185	0.4610
<u> </u>			187	0.1500
			246	0.1380
		(11) कस्बा कोल	*	
			3292	0.3570
			3293	0.1170
			3294	0.3740
			3295	0.1320
		(12) दौलताबाद		
			49	0.4610
			34	0.1180
			33	0.0600
			117	0.2070
			116	0.0740
			115	0.1270
			118	0.1450
			176	0.0180
			145	0.1270
			148	0.1660
			147	0.2300

(1)	(2)	(3)	(4)	(5)
			146	0.0690
		2	152	0.2070
			150	0.0230
			151	9.1040
	199		153	0.1500
			154	0.1700
			156	0.0970
	<u> </u>		155	0.6640
			119	0.0230
			149	0.0120
		(13) मुल्ला पाडा		*
	-	भुजपुरा	139	0.3000
			140	0.0080
	1.		149	1.8740
	de a		150	0.6960
-			152	0.0970
	O Company of the last		157	0.2490
			158	0.0450
	· · · · · · · · · · · · · · · · · · ·		159	0.3180
			160	0.0310
			161	0.4380
		·	162	0.5090
			168	0.2100
			169	0.3000
			171	0.5240
			172	0.0450
			181	1.4020
			180	0.3230
			182	0.2100
		·	179	0.0450
	1	(14) तालशपुर खुर्द	•	

(1)	(2)	(3)	(4)	(5)
			6	0.7490
		•	7	0.3450
			8	0.0690
			9	0.0810
			16	0.7950
			17	0.0180
			104	0.6110
			105	0.5880
			103	0.1150
		**************************************	102	0.1730
			121	0.7720
			120	0.0230
			119	0.0350
			124	0.1960
			128	0.0060
			158	0.1960
			159	0.1960
			161	0.1500
			162	0.0120
			171	0.3110
			110	0.0120
			123	0.0060
			106	0.0060
			107	0.0060
]		(15) चमरोला		
			1	0.2070
			2	0.6480
			6	0.2300
			7	0.0170
			9	1.0020
			10	0.1040

(1)	(2)	(3)	(4)	(5)
	-	-	15	0.0460
			11	0.1560
	0		12	0.0520
*			13	0.2070
			14	0.0350
		(16) शाहपुर कुतुब	- 0	0
			23	0.1150
-			24	0.0190
			25	0.2650
	· , *		26	0.0180
			42	0.7600
			41	0.0180
			40	0.0230
			39	0.6110
			33	0.2190
			34	0.8980
			35	0.1150
	~ 2 100 2 100 1 100 1 100 1 100 1 100 1		36	0.0180
·		(17) इबाहिमपुर		
	*		22	0.0180
			23	1.7170
			24	0.0120
		-	35	0.0180
			37	0.0230
			38	0.7490
			39	0.0180
			41	1.6190
			42	0.5690
	0		21	0.0350
			8	0.0580
	=1	,	20	0.4610

(1)	(2)	(3)	(4)	(5)
			43	0.1270
			19	0.4960
			18	0.0230
			112	0.1270
			123	0.6450
			122	0.7720
			139	0.0060
			140	0.0920
ļ			138	0.0180
-	 		141	0.1040
			142	0.0890
			143	0.0230
			144	0.5530
		(18) सलेमपुर माफी		
			8	0.0580
			11	0.3680
			12	0.2760
<u> </u>			13	0.2070
			14	0.3110
		_	15	0.0120
			16	0.0180
<u> </u>			42	0.0120
			43	0.1730
ļ			44	0.2760
			47	0.2760
			48	0.1840
·			49	0.1610
	······		50	0.1960
	·		51	0.0230
ļ. 			52	0.0460
			53	0.0230

(1)	(2)	(3)	(4)	(5)
			54	0.0120
			59	0.0080
			60	0.6340
			61	0.0810
			62	0.0280
			63	0.0350
	•	·	64	0.2760
		, , ,	65	0.8410
			65/149	0.0120
	· ·	,	66	0.0120
			67	0.1960
			135	0.0230
	-		68	0.1840
		(19) केशोपुर जोफरी		
	×		73	0.3000
	-		76	0.9270
	11		75	0.0830
			77	0.5420
	*		226	0.0120
			7,9	0.3800
			, 80	J.3940
		. *	90	0.1040
		· <u></u>	208	0.9330
			207	0.2300
			229	0.5990
			228	0.5420
			223	0.9220
			224	0.1150
		- 1	225	1.4870
-			217	0.3340
' -	·	(20) लहौसरा विसावन		

(1)	(2)	(3)	(4)	(5)
			72	0.2070
			73	1.0260
			74	0.0120
	<u> </u>		124	0.0030
 _			125	0.9340
			127	0.4260
			123	0.4640
			133	0.1730
<u> -</u>			139	1.1640
			136	0.0230
			142	0.0180
<u> </u>			146	0.1730
			145	0.2880
	·		150	0.7260
			155	0.3220
			156	0.0180
			158	0.8750
			159	0.6930
			160	0.0650
			161	0.0180
			164	0.1660
	11		399	0.9680
			398	0.3390
			400	0.6110
			75	0.0060
		-	148	0.0230
		(21) रुस्तमपुर अखन		
			12	0.0120
			13	0.2530
	·		14	0.0920
			15	0.4370

(1)	(2)	(3)	(4)	(5)
		-	16	0.1960
	•		17	0.0050
		*	, 18	0.0230
			19	0.0120
			38	0.2990
*	0)		39	0.0120
			40	0.0690
		-7	41	0.0810
*		1.7	70	0.7140
			71	0.0120
			72	0.0320
		, -·	73	0.1170
			74	0.0690
		(22) जतनपुर चिकावटी	*	**
			1	1.0370
			.3	1.1180
		_	113	0.0180
			119	1.7510
			121	0.0030
			129	0.0580
			130	0.0460
			148	0.2420
			131	0.0060
	-	· ×-	146	0.6110
			147	0.3110
			141	0.0180
			145	0.0180
			-144	0.3110
			138	0.0810
=			174	0.0150

(1)	(2)	(3)	(4)	(5)
	3		175	0.8870
	· · · · · · · · · · · · · · · · · · ·		176	0.0810
			142	0.0810
			190	0.0030
			191	0.8060
			194	0.0230
			197	0.0180
			195	0.8980
7			164	0.0120
	3		165	0.0060
			178	0.0180
		(23) लेखराजपुर		
			1	0.0460
			. 18	0.7370
	-		20	0.8180
			49	0.1730
			50	0.1960
			54	0.0120
			55	0.1150
			68	0.5760
			67	0.3340
			66	0.5760
			65	1.0950
			89	0.0180
			90	0.0120
			91	0.3110
			94	0.2420
	1 .		95	0.0180
			98	0.2760
			99	0.0580
			100	0.0120

(1)	(2)	(3)	(4)	(5)
			97	1.1750
***		(24) खेडा खुश खबर	-	
			2	0.8750
			3	0.0260
			4	0.2300
			19	0.0180
-			20	1.7970
	: 1		5	0.2300
	<u> </u>		35	0.1380
			36	0.4260
			37	0.0920
			38	0.6910
	All the Control of th		34	0.0060
- 10 - 20 - 21 - 10 - 10 - 10 - 10 - 10	<u></u>		33	0.3680
~!	ilitie en en		32	0.0450
	and a second of		69	0.5070
			64	0.4260
(in the	<u> </u>		63	0.4610
			62	0.0080
			66	0.0280
			117_	0.0230
			54	0.0580
			136	0.3340
-	_		132	0.3910
			130	0.0060
			118	0.0030
			135	0.4610
			127	0.0580
			126	0.0350
			138	0.4730
			137	0.2300

(1)	(2)	(3)	(4)	(5)
			125	0.0180
			141	0.6450
			140	0.7140
	· · · · · · · · · · · · · · · · · · ·		142	0.1730
	·		110	0.0180
	-		131	0.0230
		(25) भॉकरी खास		
			256	0.5990
ļ			257	0.0380
			258	0.0580
			259	0.3800
			267	0.5880
			268	0.0380
			269	0.0230
			266	0.4140
ļ <u> </u>			265	0.3460
			271	0.0120
			270	0.3460
			285	0.2190
			272	0.1110
			288	0.1610
			287	0.4140
	2		286	0.2880
			294	0.0180
 			292	0.5760
			293	0.1500
			295	0.0180
			296	0.7370
			349	0.0230
	-		· 348	0.2760
			376	0.1610

(1)	(2)	(3)	(4)	(5)
	(1)		347	0.1380
			346	0.0120
	9		377	0.4610
	*		375	0.2530
			372	0.0120
			374	0.3220
			400	0.3520
	*		399	0.0810
			378	0.3800
			379	0.0030
	,		398	0.0310
1			412	0,9570
			413	0.0920
			380	0.0030
	0		397	0.0120
	•	(26) हयातपुर बझेरा		
			96 .	0.8750
-	*		105	0.1500
	-	1	106	0.0250
			107	0.0350
			118	0.0230
			119	0.2760
			120	0.0310
			122	0.0120
		-	123	0.1380
			124	0.1270
		1	125	0.0350
			126	0.1450
() - () - () - ()			127	0.0980
			128	0.1380



(1)	(2)	(3)	(4)	(5)
	·		129	0.1500
·	-···-		130	0.1380
			162	0.0810
	······································		163	1.1060
			164	0.0920
			175	0.0120
			176	0.2270
			185	0,3340
			186	0.3220
			187	0.0180
	 		189	0.0650
			190	0.0120
			193	0.9220
			194	0.2990
			194/206	0.4260
	··		195	0.2530
			196	0.1040
			197	0.0250
			199	0.2810
			200	0.1040
2	गभाना	(1) बरौठ छजमल		
			43	0.8520
		<u> </u>	247	0.4960
			245	0.0350
			248	0.2650
<u></u>			251	0.2300
			252	0.1500
			253	0.1150
			254	0.1150
			255	0.2650
	·	<u> </u>	256	0.2650

(1)	(2)	(3)	(4)	(5)
	-		257	0.3110
			266	0.1960
	*		267	0.0580
		*	268	0.2650
			269	0.1610
			270	0.2530
	*		271	0.2650
	-	·	272	0.2880
			277	0.1270
			276	0.2300
			274	0.2300
	· ·		273	0.2530
<i></i>			42	0.0810
			41	0.2650
			40	0.0350
	-	-	39	0.4610
			38	0.0460
		(2) कौरह ऋस्तमपुर		
			303	0.0230
			304	0.7490
			305	0.2420
			321	0.0120
			322	0.2420
			323	0.2310
			324	0.3800
			325	0.8410
	T.		329	0.5880
			329/509	0.0120
,			330	0.6450
	1		331	0.2530
	4			0.0230

(1)	(2)	(3)	(4)	(5)
	·		287	0.2760
			289	0.0920
			290	0.0180
			357	0.0120
			358	0.9800
	· · · · · · · · · · · · · · · · · · ·		359	0.2530
-			360	0.0180
			364	0.3800
			363	0.0810
_	- · <u> · </u>		362	0.0920
_			495	0.0120
			273	0.2150
			272	0.3390
			498	0.4610
			500	0.5190
			501	0.0120
			502	0.0230
			503	0.7490
			494	0.0120
			496	0.3340
			497	0.0180
		(3) पाला सल्लू		
			244	0.0180
			243	0.4730
			233	0.3680
			234	0.2880
			232	0.0120
			231	0.0180
			230	0.0460
			226	0.4260
			228	0.0690

(1)	.(2)	(3)	(4)	(5)
			. 224	0.1500
			223	0.1610
			222	0.0120
		·	221	0.0250
			266	0.1150
			218	0.0120
			219	0.0690
			220	0.0750
	,		298	0.1150
			296	0.0580
		·	297	0.0460
			300	0.0580
	-		301	0.0350
			302	0.3800
			303	0.0460
			304	0.9910
	*		305	0.0080
		7	306	0.0040
			318	0.5300
			314	0.0420
	·		323	0.0580
			340	0.0230
,			351	0.0060
			352	0.1840
			338	0.0060
			330	0.0460
			341	0.2300
	0		363	0.3340
Y			362	0.1730
	Y i li li e		353	0.1150
			354	0.0180

(1)	(2)	(3)	(4)	(5)
			360	0.8060
			361	0.0180
			376	0.0060
			377	0,0120
			357	0.0060
			381	0.4140
			382	0.2880
			405	0.6110
			407	0.8060
			408	0.0030
			410	0.0120
			411	0.0180
			421	0.2300
			422	0.4610
			424	0.5300
		\$17 Terran and \$4.	350	0.0410
			339	0.6340
		(४) चूहरपुर		
			94	0.1610
			98	0.0120
			102	1.2560
			101	0.0060
			100	0.6680
			106	0.0180
		· · · · · · · · · · · · · · · · · · ·	109	0.0460
		ь	111	0.4030
		* * * * * * * * * * * * * * * * * * * *	112	0.0230
			113	0.0120
			115	1.0830
		_	120	0.0180
			122	0.1270

—खण्ड 3(ii)]		भारतत्का राज	पत्र : असाबारण	
(1)	(2)	(3)	(4)	(5)
			124	0.7600
	-		125	0.0230
			126	0.1380
			134	0.0120
			137	0.2300
			139	0.0180
	<u> </u>		143	0.0180
\			148	0.0120
			149	0.6220
			153	0.1730
1. *			152	0.5070
			167	0.0180
*			166	0.0180
	7	· · · · · · · · · · · · · · · · · · ·	165	0.0350
			163	0.6910
			168	0.0120
	-		171	0.1610
			172	0.8410
			173	0.0180
			174	0.1960
->-			175	0.1730
		(5) ओगर नगला राजू		
	<u> </u>		590	0.2420
			591	0.4960
			594	0.0060
		_	595	0.0180
	*		596	0.6580
				0.4960
				0.0230
				1.1750
<u> </u>			•	0.5070
				0.6580 0.4960 0.0230 1.1750

(1)	(2)	(3)	(4)	(5)
			616	0.3110
			617	0.4260
			634	0.1730
	*		635	0.6340
			633	0.2420
·			636	0.6220
			637	0.1730
			638	0.1610
- -			641	0.3220
			642	0.0690
			643	0.6850
_			654	0.0920
			655	0.6340
			656	0.0350

[फा. सं. 2008/एल एम एल/12/31-पार्ट]

पी. डी. शर्मा, कार्यकारी निदेशक (भूमि और सुख-सुविधाए-!)

MINISTRY OF RAILWAYS

(RAILWAY BOARD)

NOTIFICATION

New Delhi, the 10th February, 2009

S.O. 436(E).—In exercise of the powers conferred by clause (1) of Section 20A of the Railways Act, 1989 (24 of 1989) (hereinafter referred to as the said Act), the Central Government, after being satisfied that for the public purpose, the land, the brief, description of which has given in the Schedule annexed hereto, is required for execution, maintenance, management and operation of Special Railway Projects, Eastern Dedicated Freight Corridor, in the District of Aligarh in the State of Uttar Pradesh, hereby declares its intention to acquire such land;

Any person interested in the said land may, within thirty days from the date of publication of this notification in the Official Gazette, raise objection to the acquisition and use of such land for the aforesaid purpose under sub-section (1) of Section 20D of the said Act;

Every such objection shall be made to the competent authority, namely, Special Land Acquisition Officer, Aligarh, Uttar Pradesh in writing and shall set out the grounds thereof, and the competent authority shall give the objector an opportunity of being heard, either in person or by legal practitioner and may, after hearing all such objections and after making such further enquiry, if any, as the competent authority thinks necessary, by order, either allow or disallow the objections;

Any order made by the competent authority under sub-section (2) of Section 20D of the said Act shall be final;

The land plans and other details of the land covered under this notification are available, and can be inspected by the interested person at the aforesaid office of the competent authority.

SCHEDULE

Brief description of the land to be acquired, with or without structure falling, within the district of Aligarh in the State of Uttar Pradesh for the Special Railway Project of Eastern Dedicated Freight Corridor

Eastern Dedicated Freight Corridor.

l. No.	n Dedicated Fr Mame of the Taluk	Name of the Village	Survey Number	Area in hectares
(1).	(2)	(3)	(4)	(5)
1 .	Kaul	(1) Pali Rajapur		
	l -		38	0.0380
	. 0		39	0.2880
	1	•	40	0.0920
	*		41	0.0460
	*	-	199	0.1730
			200	0.0350
-	71-7		201	0.2190
	. 1	was 100 m	202	0.0080
		X	203	0.3800
		,	204	0.7830
			205	0.2970
		*	190	0.0030
			191	0.0070
			189	0.0070
			186	0.0580
			182	0.0030
			187	0.8750
) - 3 -	(2) Alipur		
			176	0.7370
	i i i i i i i i i i i i i i i i i i i		177	0.0180
			179	0.1270
			180	0.0870
	· ·		181	0.0580
			182	0.2650
			183	0.0090

(1)	(2)	(3)	(4)	(5)
			188	0.0140
			223	0.0120
		- 	224	0.1960
			225	0.0350
			229	0.0090
			230	0.0590
			231	0.0960
			232	0.0920
			233	0.2650
		· · · · · · · · · · · · · · · · · · ·	242	0.2070
			243	0.1150
			244	0.0670
			245	0.1730
		1 Table 1 Tabl	274	0.6570
			276	0.0910
			273	0.1040
			271	0.0060
		···	270	0.0060
		(3) Mandrak		
			471	0.0080
			469	0.4370
			514	0.1840
			516	0.5190
			539	0.6340
		· · · · · · · · · · · · · · · · · · ·	540	0.0810
			549	0.0070
			550	0.1790
			555	0.1610
		,	557	0.0810
	jr _s	y	558	0.1040
	` \		559	0.1500

(1)	(3)	(3)	(4)	(5)
	×		560	1.2590
		· · · · · · · · · · · · · · · · · · ·	564	0)0970
			565	0.0970
			568	0.0469
	× 1	*	447	0.0580
	7,-		446	0.5880
<u> </u>			468	0.0940
	· · · · · · · · · · · · · · · · · · ·		472	0.8520
		(4) Musepur Jalal		
		<u>, , , , , , , , , , , , , , , , , , , </u>	43	0.1610
- × ,			44	0.1610
			45	0.1380
1			46	0.1610
,	11.0		47	0.1500
	orage C.	Annual Control of the	.48	0.2670
•			50	0.1730
	of the \$4, ,		51 3	0.0170
		en de la	52	0.0690
		j	53	0.0120
			./ 54	0.1450
1		(5) Ghasipur		rant ye
	, , , , , , , , , , , , , , , , , , ,	• • • • • • • • • • • • • • • • • • • •	16	0.1270
1			. 17	0.5880
			18	0.0690
		:	111	0.0070
			1 12	0.2420
ċ,			110	0.2830
			113	0.2300
			132	0.0070
			12. 12. 12. 12. 12. 12. 12. 12. 12. 12.	0.1500
L	Same from 1		127	0.3570/

(1)	(2)	(3)	(4)	(5)
			128	0.0120
			129	0.2300
			130	0.1270
			131	0.0460
			139	0.5650
	·····		140	0.0070
	·		141	0.2300
		(6) 11	142	0.0690
		(6) Hazipur Fateh khan		
			142	0.4490
			143	0.8110
			141	0.1150
			140	0.1730
	***************************************		139	0.1270
	······································		137	0.0810
			136	0.2760
	· · · · · · · · · · · · · · · · · · ·		135	0.4060
			134	0.2300
			133	0.7760
			132	0.0060
			131	0.1460
_		(7) Chirauli	130	0.5790
		Daud Khan		
			95	1.0260
			94	0.6910
			90	0.0300
			91	0.3910
			92	1.0260
			86	0.0280
			68	0.5190
			69	0.5070

(1)	(2)	(3)	(4)	(5)
	<u> </u>		70	0.8180
		٠	71	0.4610
			72	0.7830
			73	0.3800
			74	0.5760
		(8) Parhawali		
			8.5	0.0180
			86	0.4840
*			87	0.4840
			88	0.2990
		*	. 89	0.6570
			90 ′	0.0580
			92	0.2530
			94	0.6570
			96	0.3220
*			97	0.0690
	,		95	0.0230
			99	0.0350
			79	0.5190
			78	0.6680
			154	0.0180
			155	0.0180
	. 7-		157	0.0230
			158	0.8290
			156	0.0070
			144	0.0580
			159	0.1040
			162	0.5420
,			163	0.0230
			255	1.0490
			260	0.0230

(1)	(2)	(3)	(4)	(5)
			261	0.3800
			263	1.1520
			270	0.3110
			271	0.1500 -
			258	0.0460
			262	0.0350
		(9) Rustampur Sakt Khan		
			184	0.0180
			63	0.2300
			64	0.0180
			65	0.0180
			166	0.8390
			167	0.9120
			168	0.0180
			163	0.0120
			164	0.9360
			162	0.4050
			159	0.0180
			158	0.0060
			157	0.6370
<u> </u>			151	0.0120
			148	0.6020
			135	0.0180
			136	0.0460
			140	0.0840
			137	0.1380
	,	(40) Hailer	138	0.2300
		(10) Hajipur Chauhta		
	•		1	0.0810
			9	0.0460
			165	0.0180

– ব্রুণ্ড 3(ii)]		भारत का राजपत्र : असाधारण			
(1)	(2)	(3)	(4)	(5)	
	<u> </u>		157	0.3800	
			156	0.0350	
			159	0.1960	
			160	0.2070	
	`		161	0.1380	
			155	0.0920	
· ·	6 00		162	0.0120	
	- 00		168	0.0180	
			183	0.2760	
			184	0.6680	
-			185	0.4610	
	- &-		187	0.1500	
			246	0.1380	
		(11) Kasha Kol			
			3292	0.3570	
			3293	0.1170	
			3294	0.3740	
	<u> </u>		3295	0.1320	
		(12) Daultabad			
			49	0.4610	
			34	0.1180	
			33	0.0600	
	· ·		117	0.2070	
-			116	0.0740	
			115	0.1270	
			118	0.1450	
	7.7		176	0.0180	
			145	0.1270	
			148	0.1660	
			147	0.2300	
			146	0.0690	

(1)	(2)	(3)	(4)	(5)
			152	0.2070
	····		150	0.0230
			151	0.1040
			153	0.1500
			154	0.1700
			156	0.0970
			155	0.6640
			119	0.0230
		(13) Mulla Para	149	0.0120
		Bhujpura		
			139	0.3000
			140	0.0080
		-	149	1.8740
			150	0.6960
			152	0.0970
	-		157	0.2490
			158	0.0450
			159	0.3180
			160	0.0310
			161	0.4380
			162	0.5090
			168	0.2100
	<u></u>		169	0.3000
			171	0.5240
			172	0.0450
			181	1.4020
			180	0.3230
			182	0.2100
		(14) Talaspur Khurd	179	0.0450
		Mara	6	0.7490

(1)	(2)	(3)	(4)	(5)
			7	0.3450
		·	8	0.0690
*	* **	-	9	0.0810
	,		16	0.7950
			17	0.0180
			104	0.6110
			105	0.5880
		•	103	0.1150
:		*	102	0.1730
			121	0.7720
	-		120	0.0230
			119.	0.0350
× - 1			124	0.1960
	,		128	0.0060
			158	0.1960
	*	-	159	0.1960
	*		161	0.1500
<u> </u>			162	0.0120
			171	0.3110
	-		110	0.0120
			123	0.0060
			106	0.0060
			107	0.0060
		(15) Chamrola		
			1	0.2070
			2	0.6480
			6	0.2300
			7	0.0170
			9	1.0020
			10	0.1040
			15	0.0460

(1)	(2)	(3)	(4)	(5)
			11	0.1560
	·		12	0.0520
			13	0.2070
			14	0.0350
		(16) Sahpur kutub		
			23	0.1150
			24	0.0190
			25	0.2650
			26	0.0180
			42	0.7600
			41	0.0180
			40	0.0230
			39	0.6110
			33	0.2190
			34	0.8980
			35	0.1150
			36	0.0180
		(17) Ibrahimpur		
			22	0.0180
		, ,	23	1.7170
			24	0.0120
<u> </u>			35	0.0180
-			37	0.0230
	***		38	0.7490
			39	0.0180
			41	1.6190
			42	0.5690
			21	0.0350
			. 8	0.0580
-			20	0.4610
			43	0.1270

(1)	(2)	(3)	(4)	(5)
			19	0.4960
			18	0.0230
			112	0.1270
			123	0.6450
	*		122	0.7720
	-		139	0.0060
			140	0.0920
			138	0.0180
			141	0.1040
			142	0.0890
		·	143	0.0230
	,*	-	144	0.5530
		(18) Salempur Mafi	-	
-			8	0.0580
			11	0.3680
	-		12	0.2760
			13	0.2070
		·	14	0.3110
			15	0.0120
X-			16	0.0180
	·		42	0.0120
		, ,	43	0.1730
9			44	0.2760
			47	0.2760
			48	0.1840
			49	0.1610
	· .		. 50	0.1960
			51	0.0230
_		· ·	52	0.0460
			53	0.0230
			54	0.0120

(1)	(2)	(3)	(4)	(5)
			59	0.0080
			60	0.6340
			61	0.0810
			62	0.0280
			63	0.0350
			64	0.2760
		,	65	0.8410
			65/149	0.0120
			66	0.0120
			67	0.1960
			135	0.0230
			68	0.1840
	··········	(19) Keshopur Zofari		
			73	0.3000
	·		76	0.9270
		_	75	0.0830
<u> </u>			77	0.5420
			226	0.0120
-			79	0.3800
			80	0.3940
			90	0.1040
	·		208	0.9330
			207	0.2300
	····		229	0.5990
-		-	228	0.5420
	·		223	0.9220
			224	0.1150
			225	1.4870
		(20) Lahausra	217	0.3340
-		Visawan		
			72	0.2070

(1) -	(2)	(3)	(4)	(5)
-		-	73	1.0260
			.74	0.0120
	10		124	0.0030
	,11		125	0.9340
		_	127	0.4260
			123	0.4640
			133	0.1730
*		γ.	139	1.1640
			136	0.0230
	7		142	0.0180
	-	* .	146	0.1730
	*		145	0.2880
• • • • • • • • • • • • • • • • • • • •			150	0.7260
			155	0.3220
		0	156	0.0180
			158	0.8750
			159	0.6930
			160	0.0650
			161	0.0180
	· -•	·	164	0.1660
			399	0.9680
		· #33	398	0.3390
			400	0.6110
			75	0.0060
			148	0.0230
		(21) Rustampur Ankhan		·
			12	0.0120
		0	13	0.2530
•			14	0.0920
	-		15	0.4370
			- 16	0.1960

(1)	(2)	(3)	(4)	(5)
			17	0.0050
			18	0.0230
			19	0.0120
			38	0.2990
			39	0.0120
			40	0.0690
			41	0.0810
			70	0.7140
			71	0.0120
			72	0.0320
			73	0.1170
			74	0.0690
		(22) Jatanpur Chikavati		
			1	1.0370
			3	1.1180
			113	0.0180
			119	1.7510
			121	0.0030
			129	0.0580
<u></u>			130	0.0460
			148	0.2420
			131	0.0060
			146	0.6110
			147	0.3110
			141	0.0180
			145	0.0180
			144	0.3110
			138	0.0810
			174	0.0150
			175	0.8870

—खण्ड 3(i	खण्ड 3(ii)] भारत का राजपत्र : असाधारण				
(1)	(2)	(3)	(4)	(5)	
			176	0.0810	
			142	0.0810	
			190	0.0030	
	*** **		191	0.8060	
			194	0.0230	
<u> </u>		0	197	0.0180	
			195	0.8980	
		N.S.	164	0.0120	
			165	0.0060	
			178	0.0180	
		(23) Lehhrajpur			
			1	0.0460	
		s. W. J. ex	18	0.7370	
1001			20	0.8180	
		-	49	0.1730	
-			50	0.1960	
			54	0.0120	
-			55	0.1150	
			68	0.5760	
		100	67	0.3340	
			66	0.5760	
			65	1.0950	
			89	0.0180	
		The second secon	90	0.0120	
			91	0.3110	
			94	0.2420	
*			95	0.0180	
			98	0.2760	
	Э.		99	0.0580	
			100	0.0120	
		·	97	1.1750	

(1)	(2)	(3)	(4)	(5)
		(24) Khera khush Khabar		
			2	0.8750
			3	0.0260
			4	0.2300
			19	0.0180
	· · · · · · · · · · · · · · · · · · ·		20	1.7970
	· · · · · · · · · · · · · · · · · · ·		5	0.2300
-			35	0.1380
			36	0.4260
			37	0.0920
			38	0.6910
			34	0.0060
			33	0.3680
			32	0.0450
			69	0.5070
			64	0.4260
			63	0.4610
			62	0.0080
			66	0.0280
			117	0.0230
			54	0.0580
			136	0.3340
			132	0.3910
	····		130	0.0060
		-	118	0.0030
			135	0.4610
			127	0.0580
			126	0.0350
			138	0.4730
		-	137	0.2300
			125	0.0180

(11)	(2)	(3)	(4)	(5)
			141	0.6450
			140	0.7140
	*		142	0.1730
			110	0.0180
	<i>.</i>	(25) Bhakari Khas	131	0.0230
*	· · · · · · · · · · · · · · · · · · ·		256	0.5990
	*	*	257	0.0380
			258	0.0580
			259	0.3800
		. x	267	0.5880
			268	0.0380
			269	0.0230
			266	0.4140
			265	0.3460
			271	0.0120
			270	0.3460
			285	0.2190
			272	0.1110
			288	0.1610
			287	0.4140
			286	0.2880
	<u></u>		294	0.0180
			292	0.5760
	· · · · · · · · · · · · · · · · · · ·	<u> </u>	293	0.1500
	74 <u>-</u> 1.		295	0.0180
			296	0.7370
	•		349	0.0230
			348	0.2760
	-		376	0.1610
			347	0.1380

(1)	(2)	(3)	(4)	(5)
			346	0.0120
			377	0.4610
<u> </u>			375	0.2530
	_ 		372	0.0120
				0.3220
			374	
			400	0.3520
	<u> </u>		- 399	0.0810
			378	0.3800
	 		379	0.0030
			398	0.0310
·			412	0.9570
			413	0.0920
	····	,	380	0.0030
		(26) Hayatpur	397	0.0120
		Bajhera		
			96	0.8750
			105	0.1500
			106	0.0250
			107	0.0350
			118	0.0230
			119	0.2760
			120	0.0310
			122	0.0120
			123	0.1380
			124	0.1270
			125	0.0350
			126	0.1450
			127	0.0980
			128	0.1380
			129	0.1500

(1)	(2)	(3)	(4)	(5)
			130	0.1380
		·	162	0.0810
			163	1.1060
			164	0.0920
'			175	0.0120
			176	0.2270
	-		185	0.3340
ين عو			186	0.3220
			187	0.0180
			189	0.0650
			190	0.0120
			193	0.9220
A 198. W			194	0.2990
			194/206	0.4260
-			195	0.2530
	·_		196	0.1040
	9		197	0.0250
			199	0.2810
			200	0.1040
2 Gabh	ana	(1) Barauth Chhajmal	33	
		Ointajinu.	43	0.8520
•			247	0.4960
			245	0.0350
			248	0.2650
			251	0.2300
		-	252	0.1500
			253	0.1150
			254	0.1150
	<u> </u>		255	0.2650
			256	0.2650
			257	0.3110

(1)	(2)	(3)	(4)	(5)
			266	0.1960
			267	0.0580
			268	0.2650
	0		269	0.1610
			270	0.2530
		* * <u></u>	271	0.2650
			272	0.2880
			277	0.1270
			276	0.2300
			274	0.2300
			273	0.2530
			42	0.0810
			41	0.2650
			40	0.0350
			39	0.4610
			38	0.0460
		(2) Kaurah Rustampur		
		F	303	0.0230
		······································	304	0.7490
<u> </u>			305	0.2420
			321	0.0120
-			322	0.2420
			323	0.2310
			324	0.3800
			325	0.8410
			329	0.5880
			329/509	0.0120
			330	0.6450
		···	331	0.2530
			288	0.0230
			287	0.2760

(1)	(2)	(3)	(4)	(5)
			289	0.0920
			290	0.0180
			357	0.0120
	. To the control of t		358	0.9800
			359	0.2530
			360	0.0180
	-		364	0.3800
			363	0.0810
0			362	0.0920
			495	0.0120
			- 273	0.2150
	,	*	272	0.3390
,			498	0.4610
		,	500	0.5190
			501	0,0120
			502	0.0230
	` .		503	0.7490
0			494	0.0120
*			496	0.3340
			497	0.0180
······		(3) Pala Sallu		
*			244	0.0180
			243	0.4730
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	233	0.3680
			234	0.2880
			232	0.0120
			231	0.0180
		-	230	0.0460
			226	0.4260
		,	228	0.0690
1			224	0.1500

(1)	(2)	(3)	(4)	(5)
			223	0.1610
		·	222	0.0120
			221	0.0250
			266	0.1150
			218	0.0120
		······································	219	0.0690
		William Co.	220	0.0750
			298	0.1150
		THE PART OF THE PA	296	0.0580
			297	0.0460
			300	0.0580
			301	0.0350
			302	0.3800
		····	303	0.0460
			304	0.9910
			305	0.0080
			306	0.0040
		- <u> </u>	318	0.5300
			314	0.0420
			323	0:0580
			340	0.0230
			351	0.0060
			352	0.1840
			338	0.0060
			330	0.0460
			341	0.2300
			363	0.3340
			362	0.1730
			353	0.1150
			354	0.0180
			360	0.8060

(1)	(2)	(3)	(4)	(5)
			361	0.0180
			376	0.0060
	1		377	0.0120
		:	357	0.0060
			381	0.4140
	- A	*	382	0.2880
			405	0.6110
			407	0.8060
×			408	0.0030
			410	0.0120
,	\$ - X		411	0.0180
			421	0.2300
	*		422	0.4810
			424	0.5300
×			350	0.0410
			339	0.6340
		(4) Chuharpur		
•			94	0.1610
	1	0	98	0.0120
-		Ŷ	102	1.2560
			101	0.0060
			100	0.6680
		· · · · · · · · · · · · · · · · · · ·	106	0.0180
			109	0.0460
	.20	·	111	0.4030
			112	0.0230
	-	e .	113	0.0120
			115	1.0830
			120	0.0180
			-122	0.1270
			124	0.7600

(1)	(2)	(3)	(4)	(5)
			125	0.0230
	· · · · · · · · · · · · · · · · · · ·		126	0.1380
			134	0.0120
			137	0.2300
			139	0.0180
			143	0.0180
		-	148	0.0120
			149	0.6220
			153	0.1730
			152	0.5070
			167	0.0180
			166	0.0180
			165	0.0350
			163	0.6910
			168	0.0120
			171	0.1610
			172	0.8410
			173	0.0180
	-		174	0.1960
<u> </u>			175	0.1730
		(5) Ogar Nagla Raju		
			590	0.2420
		-	591	0.4960
			594	0.0060
			595	0.0180
			596	0.6580
			601	0.4960
			602	0.0230
		····	598	1.1750
			615	0.5070
			616	0.3110

(1)	(2)	(3)	(4)	(6)
			617	0.4260
			634	0.1730
	*		635	0.6340
-		-	633	0.2420
			636	0.6220
			637	0.1730
	-	Ti .	638	0.1610
			641	0.3220
		X	642	0.0690
			643	0.6850
	0		654	0.0920
		,	655	0.6340
			856	0.0350

[F. No. 2008/LML/12/31-pt.]
P. D. SHARMA, Executive Director (Land and Amenities-1)